

**What types of resurfacing options are available and what are the costs of each?**

	Crack Seal	Pavement Preservation (Micro Seal, Slurry Seal, etc)	Shim and Asphalt Overlay	Mill and Asphalt Overlay	Reclamation
Cost	\$0.40/SY	\$5.50/SY	\$8/SY	\$16/SY	\$24/SY
Longevity	3-5 Years	5-8 Years	10-15 Years	15-20 Years	15-25 Years
Appearance	Some Imperfections	Some Imperfections	Smooth	Smooth	Smooth
Depth of Coating	Thin treatment at crack only	Thin, mostly unifrom surface treatment	New thick surface 0.5" - 1" Shim 1.5" - 2" Top	New thick surface 2" Mill 2" Top	New thick surface 3" Binder, 2" Top
Materials Used	Asphalt and Fibers	Asphalt, chipped rock and fine sand	Asphalt, crushed rock and sand	Asphalt, crushed rock and sand	Asphalt, crushed rock and sand
Maintenance Type	Preservation	Preservation	Rehabilitative	Rehabilitative	Reconstruction